

**MESSRS:  
ABITEX SRL  
VIA CASALI 48  
33048 SAN GIOVANNI AL NATISONE (UD)  
ITALIA**

**REPORT NR. 1800819-002**  
**REPORT DATE 09/03/2018**  
ACCEPTANCE DATE 06/03/2018  
START TEST DATE 06/03/2018  
END TEST DATE 09/03/2018  
SAMPLING BY CUSTOMER

## TEST REPORT

SAMPLE DESCRIPTION AIDA R 602 P.TA CA1312 P.ZA 232301

THE REPORT IS MADE BY THE FOLLOWING TESTS:

TEST	METHOD	ACCREDIA
6012061 Assessment of the ignitability of upholstery fabric - Cigarette	EN 1021-1:2014	
6012071 Assessment of the ignitability of upholstery fabric - Match	EN 1021-2:2014	

Technical Manager

Dott.ssa Valentina Guidotti



Managing Director

Patrizia Rosati



(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)  
Tel +39 0574 071701 Fax +39 0574 899903 e mail : [labo@lanartex.it](mailto:labo@lanartex.it) - web : [www.lanartex.it](http://www.lanartex.it)

## TEST REPORT

**MESSRS:**  
**ABITEX SRL**  
**VIA CASALI 48**  
**33048 SAN GIOVANNI AL NATISONE (UD)**  
**ITALIA**

<b>REPORT NR.</b>	<b>1800819-002</b>
<b>REPORT DATE</b>	<b>09/03/2018</b>
ACCEPTANCE DATE	06/03/2018
START TEST DATE	06/03/2018
END TEST DATE	09/03/2018
SAMPLING BY CUSTOMER	

## NOTES ANALYTICAL TESTS

- **6012061 Assessment of the ignitability of upholstery fabric - Cigarette** **EN 1021-1:2014**

The above test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use; Acclimatization: At least 24 hours at  $23 \pm 2$  °C e  $50 \% \pm 5$  % RH; Ignition source (i.s.): Ignition source - Smouldering cigarette. Test Results: N.I. - Not Ignited, test is passed; S.I. - Smouldering ignition, F.I. - Flaming ignition, test is failed. Filling material: PU-FR (30-33 Kg/m<sup>3</sup>) supplied by the laboratory.

- **6012071 Assessment of the ignitability of upholstery fabric - Match** **EN 1021-2:2014**

The above test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use; Acclimatization: At least 24 hours at  $23 \pm 2$  °C e  $50 \% \pm 5$  % RH; Ignition source (i.s.): Ignition source - Match equivalent flame. Test Results: N.I. - Not Ignited, test is passed; S.I. - Smouldering ignition, F.I. - Flaming ignition, test is failed. Filling material: PU-FR (30-33 Kg/m<sup>3</sup>) supplied by the laboratory.

## GENERAL NOTES

(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)  
Tel +39 0574 071701 Fax +39 0574 899903 e mail : [labo@lanartex.it](mailto:labo@lanartex.it) - web : [www.lanartex.it](http://www.lanartex.it)

## TEST REPORT

**MESSRS:**  
**ABITEX SRL**  
**VIA CASALI 48**  
**33048 SAN GIOVANNI AL NATISONE (UD)**  
**ITALIA**

**REPORT NR.** **1800819-002**  
**REPORT DATE** **09/03/2018**  
**ACCEPTANCE DATE** 06/03/2018  
**START TEST DATE** 06/03/2018  
**END TEST DATE** 09/03/2018  
**SAMPLING BY CUSTOMER**

Tests	M.U.	Results	Method
<b>6012061 Assessment of the ignitability of upholstery fabric - Cigarette</b>			EN 1021-1:2014
Pretreatment		<b>WATER SOAK 40 °C - 30 MIN</b>	
Kind of sample		<b>COVER FABRIC</b>	
Test 1 - Smouldering criteria - Unsafe escalating combustion	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Test assembly consumed	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Smoulders to extremities	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Smoulders through thickness	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Smoulders more than 1 h	Yes/No	<b>NO</b>	
	Yes/No	<b>NO</b>	
Test 1 - Flaming criteria - Occurrence of flames	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Unsafe escalating combustion	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Test assembly consumed	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Smoulders to extremities	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Smoulders through thickness	Yes/No	<b>NO</b>	
	Yes/No	<b>NO</b>	
Test 2 - In final examination, presence of progressive Smouldering	Yes/No	<b>NO</b>	
Test 2 - Flaming criteria - Occurrence of flames	Yes/No	<b>NO</b>	
Final result		<b>N.I.</b>	
<b>6012071 Assessment of the ignitability of upholstery fabric - Match</b>			EN 1021-2:2014
Pretreatment		<b>WATER SOAK 40 °C - 30 MIN</b>	
Kind of sample		<b>COVER FABRIC</b>	
Test 1 - Smouldering criteria - Unsafe escalating combustion	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Test assembly consumed	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Smoulders to extremities	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Smoulders through thickness	Yes/No	<b>NO</b>	
Test 1 - Smouldering criteria - Smoulders more than 1 h	Yes/No	<b>NO</b>	
	Yes/No	<b>NO</b>	
Test 1 - Flaming criteria - Unsafe escalating combustion	Yes/No	<b>NO</b>	

(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)  
 Tel +39 0574 071701 Fax +39 0574 899903 e mail : [labo@lanartex.it](mailto:labo@lanartex.it) - web : [www.lanartex.it](http://www.lanartex.it)

## TEST REPORT

**MESSRS:**  
**ABITEX SRL**  
**VIA CASALI 48**  
**33048 SAN GIOVANNI AL NATISONE (UD)**  
**ITALIA**

**REPORT NR. 1800819-002**  
**REPORT DATE 09/03/2018**  
 ACCEPTANCE DATE 06/03/2018  
 START TEST DATE 06/03/2018  
 END TEST DATE 09/03/2018  
 SAMPLING BY CUSTOMER

Tests	M.U.	Results	Method
Test 1 - Flaming criteria - Test assembly consumed	Yes/No	<b>NO</b>	
Test 1 - Flaming criteria - Flames to extremities	Yes/No	<b>NO</b>	
Test 1 - Flaming criteria - Flames through thickness	Yes/No	<b>NO</b>	
Test 1 - Flaming criteria - Flames longer than 120 s	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Unsafe escalating combustion	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Test assembly consumed	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Smoulders to extremities	Yes/No	<b>NO</b>	
Test 2 - Smouldering criteria - Smoulders through thickness	Yes/No	<b>NO</b>	
Test 2 - In final examination, presence of progressive Smouldering	Yes/No	<b>NO</b>	
Test 2 - Flaming criteria - Unsafe escalating combustion	Yes/No	<b>NO</b>	
Test 2 - Flaming criteria - Test assembly consumed	Yes/No	<b>NO</b>	
Test 2 - Flaming criteria - Flames to extremities	Yes/No	<b>NO</b>	
Test 2 - Flaming criteria - Flames through thickness	Yes/No	<b>NO</b>	
Test 2 - Flaming criteria - Flames longer than 120 s	Yes/No	<b>NO</b>	
Final result		<b>N.I.</b>	

----- **END OF REPORT** -----

(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)  
 Tel +39 0574 071701 Fax +39 0574 899903 e mail : [labo@lanartex.it](mailto:labo@lanartex.it) - web : [www.lanartex.it](http://www.lanartex.it)