

# abitex

abitex srl  
via del cristo 84  
33044 manzano  
ud - italy

t +39 0432 746060  
www.abitex.eu  
info@abitex.eu

## magnum 02035



### IT

#### codice doganale

59031090.

#### utilizzo

imbottiti, medicale.

#### caratteristiche

88% pvc - 7% poliestere - 4% cotone -  
1% poliuretano/polycarbonato, altezza cm  $\pm$  140,  
peso  $\pm$  715 gr/m<sup>2</sup>, spessore  $\pm$  1,10 mm.

#### lunghezza pezze

circa 30 mt., disponibile anche al taglio  
con maggiorazione.

#### abrasione

> 200.000 cicli, ISO 5470-2.

#### solidità alla luce

> 7, ISO 105 B02.

#### solidità allo sfregamento

secco 5, umido 5, ISO 105 X12.

#### resistenza alla rottura

ordito 25 N/5 cm, trama 15 N/5 cm, ISO 1421.

#### sostenibilità

esente da ftalati.

#### resistenza al fuoco

1IM - UNI 9175; EN 1021 1/2; BS 5852 part 1;  
NFPA 260 Class 1; NF P 92 507 M3;  
California TB 117-2013; IMO FTP Code 307 part 8;  
ONCOM B 3825.

#### resistenza al fuoco - solo su richiesta, min 300 mt

BS 5852 crib 5; DIN 4102 B1; NF P 92 507 M1.

#### attenzione

sono ammesse leggere differenze di colore tra differenti  
partite, non ci assumiamo nessuna responsabilità per il  
trasferimento di colore/pigmenti causato da abbigliamento  
e accessori.

consigliamo di verificare le schede tecniche di tutti i prodotti  
su [www.abitex.eu](http://www.abitex.eu)

### EN

#### customs code

59031090

#### use

upholstered furniture, medical.

#### features

88% pvc - 7% polyester - 4% cotton -  
1% polyurethane/polycarbonate, width cm  $\pm$  140,  
weight  $\pm$  715 g/m<sup>2</sup>, thickness  $\pm$  1,10 mm.

#### roll length

approx. 30 lm., can also be cut-to-length at  
an extra cost.

#### abrasion resistance

> 200.000 rubs, ISO 5470-2.

#### colour fastness to light

> 7, ISO 105 B02.

#### fastness to rubbing

dry 5, wet 5, ISO 105 X12.

#### tensile strength

warp 25 N/5 cm, weft 15 N/5 cm, ISO 1421.

#### sustainability

phthalate free.

#### fire resistance

1IM - UNI 9175; EN 1021 1/2; BS 5852 part 1;  
NFPA 260 Class 1; NF P 92 507 M3;  
California TB 117-2013; IMO FTP Code 307 part 8;  
ONCOM B 3825.

#### fire resistance - only on request, min 300 m

BS 5852 crib 5; DIN 4102 B1; NF P 92 507 M1.

#### attention

slight colour differences between different batches are  
allowed, we assume no responsibility for the transfer of  
colour/pigment caused by clothing and accessories. please  
check the technical data sheets of all products on the abitex  
website [www.abitex.eu](http://www.abitex.eu)



fireproof



imo-med



medical



easy clean



eco-friendly



year  
guarantee