

MESSRS.:
ABITEX SRL
VIA CASALI 48
33048 SAN GIOVANNI AL
NATISONE (UD)
ITALIA

REPORT NR. **1601841-003**
REPORT DATE **12/05/2016**
ACCEPTANCE DATE 09/05/2016
START TEST DATE 09/05/2016
END TEST DATE 12/05/2016
SAMPLING BY CUSTOMER

TEST REPORT

SAMPLE DESCRIPTION: 08164 001 140 900 ODINO VINACCIA P.TA 27694 0164041

| TEST | M.U | RESULTS | EXPANDED UNCERTAINTY ¹ |
|------|-----|---------|-----------------------------------|
|------|-----|---------|-----------------------------------|

6012001 Assessment of the ignitability of upholstery fabric - Cigarette

Method: BS 5852-1:1979 - Assessment of the ignitability of upholstery fabric - Cigarette

| | |
|----------------------------------|--------------|
| Kind of sample | COVER FABRIC |
| Test 1 - Combustion with flame | 0" |
| Test 1 - Progressive smouldering | 0" |
| Test 1 - Result | PASS |
| Test 2 - Combustion with flame | 0" |
| Test 2 - Progressive smouldering | 0" |
| Test 2 - Result | PASS |

Filling material: PU non-FR (20-22 Kg/m3) SS20 supplied by the laboratory.
Pretreatment: None

The following test results regard exclusively the characteristics of flammability of upholstery fabrics in the particular conditions used during the test, they can be used as evaluation of potential fire risk, of materials or products, in their final end use; The test is been executed according with Furnishings (Fire) (Safety) Regulations 1988 n°1324, amd in 1989 , 1993 and 2010, Schedule 4 - Part 1 (i.s. 0); Acclimatization: At least 16 hours at 20 ± 5 °C e 50 % ± 20 % RH; Ignition source (i.s.): Ignition source 0 - Smouldering cigarette.

(*) = the tests marked with asterisk are not accredited by Accredia.

¹ U: the reported uncertainty is the extended uncertainty calculated using a coverage factor of 2 which gives a level of confidence approximatively of 95%.

LANARTEX di Rosati Patrizia C. Sas ; Via I° Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

| | | | |
|-------------|-------------|--------------------|--|
| | | REPORT NR. | 1601841-003 |
| | | REPORT DATE | 12/05/2016 |
| TEST | M.U. | RESULTS | EXPANDED UNCERTAINTY ¹ |

6012002 Assessment of the ignitability of upholstery fabric - Match

Method: BS 5852-1:1979 - Assessment of the ignitability of upholstery fabric - Match

| | |
|----------------------------------|--------------|
| Kind of sample | COVER FABRIC |
| Test 1 - Combustion with flame | 2" |
| Test 1 - Progressive smouldering | 13" |
| Test 1 - Result | PASS |
| Test 2 - Combustion with flame | 2" |
| Test 2 - Progressive smouldering | 12" |
| Test 2 - Result | PASS |

Filling material: PU non-FR (20-22 Kg/m³) SS20 supplied by the laboratory.
Pretreatment: None

The following test results regard exclusively the characteristics of flammability of upholstery fabrics in the particular conditions used during the test, they can be used as evaluation of potential fire risk, of materials or products, in their final end use; The test is been executed according with Furnishings (Fire) (Safety) Regulations 1988 n°1324, and in 1989, 1993 and 2010, Schedule 5 - Part 1 (i.s. 1); Acclimatization: At least 16 hours at 20 ± 5 °C e 50 % ± 20 % RH; Ignition source (i.s.): Ignition source 1 - Match equivalent flame.

Unrepeatable tests to exhaustion test material.

The sample name and, when relevant, its description, are given by the orderer, and LANARTEX does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. The use of ILAC-ACCREDIA brands is limited by the terms of the agreement ACCREDIA-LANARTEX.

END OF REPORT

Managing Director

Patrizia Rosati



(*) = the tests marked with asterisk are not accredited by Accredia.

¹ U: the reported uncertainty is the extended uncertainty calculated using a coverage factor of 2 which gives a level of confidence approximatively of 95%.

LANARTEX di Rosati Patrizia C. Sas ; Via I° Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it